

SAFETY DATA SHEET

According to
HSNO Hazardous Substances (Safety Data Sheets) Notice 2017

Section 1. Identification of the material and the supplier

Product: **Performa Beta II**
 Substance: 160 g/L Phenmedipham and 160 g/L Desmedipham in the form of an emulsifiable concentrate.
 Active ingredient: IUPAC Names: methyl 3-(3-methylcarbaniloxy)carbanilate, ethyl {3-[(phenylcarbamoxy)oxy]phenyl}carbamate.

Product Use: Agricultural herbicide
 Restriction of Use: Refer to Section 15

New Zealand Supplier: Wholesale Seeds Limited
 Address: 5 Bryant Street, Ashburton, New Zealand

Telephone No: 03 307 9260

Emergency No: 0800 CHEMCALL (0800243 622)

Manufacturer: Danken New Zealand Ltd
 Address: P.O. Box 16194
 Hornby
 Christchurch, 8441

Telephone: 0800 326 536

Date of SDS Preparation: 18 November 2025

Section 2. Hazards Identification

This substance is hazardous according to the EPA Hazardous Substances (Classification) Notice 2020

EPA Approval No: HSR101148

Pictograms



Signal Word: **Warning**

GHS Category	Hazard Code	Hazard Statement
Flammable Liquids Cat. 4	H227	Combustible liquid.
Acute oral toxicity Cat. 4	H302	Harmful if swallowed.
Acute dermal toxicity Cat. 4	H312	Harmful in contact with skin.
Eye irritation Cat. 2	H319	Causes serious eye irritation.

Skin sensitisation Cat. 1	H317	May cause an allergic skin reaction.
Specific target organ toxicity – repeated exposure Cat. 2	H373	May cause damage to organs through prolonged or repeated exposure.
Hazardous to the aquatic environment acute Cat. 1	H400	Very toxic to aquatic life.
Hazardous to the aquatic environment chronic Cat. 1	H410	Very toxic to aquatic life with long lasting effects.
Hazardous to soil organisms.	H423	Hazardous to soil organisms
Hazardous to terrestrial vertebrates.	H433	Hazardous to terrestrial vertebrates

Prevention Code	Prevention Statement
P102	Keep out of reach of children.
P103	Read carefully and follow all instructions.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P260	Do not breathe dust, fumes, gas, mist, vapours or spray.
P264	Wash hands thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment [if this is not the intended use].
P280	Wear protective clothing [as detailed in SDS Section 8].

Response Code	Response Statement
P101	If medical advice is needed, have product container or label at hand.
P314	Get medical advice/attention if you feel unwell.
P321	Specific treatment (see ... <reference to supplemental first aid instruction> on label).
P330	Rinse mouth.
P391	Collect spillage.
P301 + P312	IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
P302 + P352	IF ON SKIN: Wash with plenty of water.
P305 + P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P333 + P313	If skin irritation or rash occurs: Get medical advice/attention.
P337 + P313	If eye irritation persists: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash before reuse.
P370 + P378	In case of fire: Use ... <specify appropriate media> to extinguish. – This statement applies if water increases risk.

Storage Code	Storage Statement
None allocated	Keep out of reach of children. Store in the original container, tightly closed, in a locked cool, dry and well-ventilated area away from feed or foodstuffs. Avoid storage at temperatures below 5°C and above 35°C. Storage must be in accordance with the current version of NZS 8409 Management of Agrichemicals. Stores containing 100 L or more are subject to signage, secondary containment and an emergency response plan.

Disposal Code	Disposal Statement
P501	Dispose of according to Local Regulations or Authorities

Section 3. Composition / Information on Hazardous Ingredients

Ingredients	CAS NUMBER.	Content %w/w)
Phenmedipham	13684-63-4	16
Desmedipham	13684-56-5	16
Isophorone	78-59-1	60
Calcium dodecylbenzenesulphonate	26264-06-2	1-3
Non hazardous	Proprietary	Balance

Section 4. First Aid Measures

Routes of Exposure:

If in Eyes Rinse cautiously with water for several minutes. If eye irritation persists: Get medical advice.

If on Skin Wash off skin immediately with soap and plenty of water for 15 to 20 minutes. If skin irritation occurs: Get medical advice/attention.

If Swallowed Wash out mouth thoroughly with water. Do not induce vomiting unless told to do so by a poison control center or doctor. Make every effort to prevent vomit from entering the lungs by careful placement of the patient. Never give anything by mouth to an unconscious person. Call a POISON CENTER or doctor/physician if you feel unwell.

If Inhaled Remove person to fresh air. Remove contaminated clothing and loosen remaining clothing. Allow person to assume most comfortable position and keep warm. Keep at rest until fully recovered. Apply artificial respiration if not breathing. Get medical advice if breathing becomes difficult.

Most important symptoms and effects, both acute and delayed

Symptoms: Harmful if swallowed.

Notes to Doctor: Poisoning symptoms in laboratory animals were non-specific. There is no specific antidote available. Treat symptomatically.

Section 5. Fire Fighting Measures

Hazard Type	Combustible Liquid.
Hazards from products	In the event of fire the following may be released, Hydrogen cyanide (hydrocyanic acid), Carbon monoxide (CO), Sulphur oxides, Nitrogen oxides (NOx)
Suitable Extinguishing media	Water fog, foam, carbon dioxide or dry chemical.
Precautions for firefighters and special protective clothing	Wear protective clothing and self-contained breathing apparatus. Do not allow run-off from firefighting to enter drains or water courses. Cool closed containers exposed to fire with water spray.
HAZCHEM CODE	3Z

Section 6. Accidental Release Measures

Wear personal protective equipment detailed in Section 8. Avoid mist formation. Ensure adequate ventilation. Evacuate personnel to safe areas. Do not breathe vapours or mist.

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal. Dispose of in compliance with local and/or national regulations or as per Section 13.

Section 7. Handling and Storage

Precautions for Handling:

- Read carefully and follow all instructions.
- Wash hands thoroughly after handling.
- Do not eat, drink or smoke when using this product.
- Avoid release to the environment.
- Avoid contact with eyes and skin.
- When preparing spray and using the prepared spray wear: cotton overalls buttoned to the neck and wrist (or equivalent clothing), a washable hat, elbow-length PVC gloves. If using a hand directed sprayer, wear, in addition: waterproof trousers, boots.
- After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves and contaminated clothing.

Precautions for Storage:

- Store away from incompatible materials listed in Section 10.
- Keep out of reach of children.
- Store in the closed, original container in a cool, well-ventilated area.
- DO NOT store for prolonged periods in direct sunlight.

Section 8 Exposure Controls / Personal Protection

WORKPLACE EXPOSURE STANDARDS (provided for guidance only)

Substance	TWA		STEL	
	ppm	mg/m ³	ppm	mg/m ³

No ingredients have exposure limits

Workplace Exposure Standard – Time Weighted Average (WES-TWA). The time-weighted average exposure standard designed to protect the worker from the effects of long-term exposure. Workplace Exposure Standard – Short-Term Exposure Limit (WESSTEL). The 15-minute average exposure standard. Applies to any 15- Minute period in the working day and is designed to protect the worker against adverse effects of irritation, chronic or irreversible tissue change, or narcosis that may increase the likelihood of accidents. The WES-STEL is not an alternative to the WES-TWA; both the short-term and time-weighted average exposures apply. Workplace Exposure Standards and Biological Exposure Indices APRIL 2022 13TH EDITION.

Engineering Controls

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes and clothing. Wash hands before breaks and at the end of workday.

Personal Protection Equipment



Eyes	Protective glasses or goggles should be worn when this product is being used. Failure to protect your eyes may cause them harm. Emergency eye wash facilities are also recommended in an area close to where this product is being used.
Hands	This product is harmful in contact with skin wear suitable chemically resistant gloves (preferably elbow-length) when handling this product.

Skin	Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.
Respiratory	For nuisance exposures use type P95 (US) or type P1 (EU EN 143) particle respirator. For higher level protection use type OV/AG/P99 (US) or type ABEK-P2 (EU EN 143) respirator cartridges. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).
General	Wash hands before breaks and at the end of workday.

Section 9 Physical and Chemical Properties

Appearance	Liquid
Colour	Amber
Odour	Not available
Odour Threshold	Not available
pH	4.0- 7.0
Boiling Point	Not available
Melting Point	Not available
Freezing Point	Not available
Flash Point	Not available
Flammability	Not flammable
Upper and Lower Explosive Limits	Not available
Vapour Pressure	Not available
Vapour Density	Not available
Relative Density	Approximately 1.03
Water Solubility	Dispersible with water.
Partition Coefficient:	Not applicable
Auto-ignition Temperature	Not available
Decomposition Temperature	Not available
Kinematic Viscosity	Not available
Particle Characteristics	Not available

Section 10. Stability and Reactivity

Stability of Substance	This product is stable under normal conditions.
Possibility of hazardous reactions	Not available
Conditions to Avoid	Moisture, high temperature, direct sunlight.
Incompatible Materials	Strong acids or bases.
Hazardous Decomposition Products	Carbon oxides, nitrogen oxides (NO _x), Hydrogen chloride gas.

Section 11 Toxicological Information

Acute Effects:

Oral	Phenmedipham: Acute oral LD50 for rats and mice >8000, guinea pigs and dogs >4000 mg/kg. Desmedipham: Acute oral LD50 for rats >10 250, mice >5000 mg/kg. Isophorone: LD50=700mg/kg (Rat)
-------------	---

Dermal	Phenmedipham: Acute percutaneous LD50 for rabbits 1000, rats 2500 mg/kg. Desmedipham: Acute percutaneous LD50 for rabbits >4000 mg/kg. Isophorone: LD50=1200 mg/kg
Inhalation	Phenmedipham: LC50 (4 h) for rats >7.0 mg/l. Desmedipham: LC50 (4 h) for rats >7.4 mg/l. Not triggered as hazardous. LC50 (4 h) for male and female rats >5.1 mg/l air.
Eye Irritant/Corrosive	Phenmedipham: Not an eye irritant (rabbits). Desmedipham: Not an eye irritant (rabbits). Not triggered as hazardous. Not an eye irritant (rabbits).
Skin Irritant/Corrosive	Phenmedipham: Not a skin irritant (rabbits). Desmedipham: Not a skin irritant (rabbits). Not triggered as hazardous. Not a skin irritant (rabbits).
Sensitisation Effects	Phenmedipham: May cause an allergenic reaction. Desmedipham: Not a skin sensitiser Not triggered as hazardous. Not a skin sensitiser (guinea pigs).

Chronic Effects:

Carcinogenicity	Not triggered as hazardous.
Reproductive Toxicity	Not triggered as hazardous.
Teratogenic Effects	Not triggered as hazardous.
Germ Cell Mutagenicity	Not triggered as hazardous.
Aspiration	Not triggered as hazardous.
STOT/SE	Not triggered as hazardous.
STOT/RE	Isophorone: Primary Organ Effected: Blood and the Hematopoietic system. Secondary Organ(s) Effected: Blood and the Hematopoietic system Renal toxicity (Kidney) Respiratory system.

Section 12. Ecotoxicological Information

Very toxic to aquatic life with long lasting effects.

Product:	
Persistence and degradability	No data available
Bioaccumulation	No data available
Mobility in Soil	No data available

Ecotoxicity:

Desmedipham

Fish: Oncorhynchus mykiss LC50 (96 h) 1.41 g/L

Crustacean: Daphnia magna EC50 (48 h) 0.35 mg/L

Algae: Raphiocelis subcapitata EC50 (72 hr) growth >0.01 mg/L

Aquatic plant: Lemna minor EC50 (7d) growth, >5.2 mg/L

Bird: Colinus virginianus Oral LD50 >2000 mg/kg bw

Phenmedipham:

Birds: Acute oral LD₅₀ for chickens >2500, mallard ducks >2100 mg/kg. Dietary LC₅₀ (8 d) for mallard ducks and bobwhite quail >6000 mg/kg diet.

Fish LC₅₀ (96 h) for rainbow trout 1.4–3.0, bluegill sunfish 3.98 mg/l. LC₅₀ (96 h) for harlequin fish 16.5 mg/l (15.9% EC formulation).

Daphnia LC₅₀ (72 h) 3.8 mg/l.

Algae IC₅₀ (96 h) 0.13 mg/l.

Bees Not toxic to bees; LD₅₀ (oral) >23 µg/bee; (contact) 50 µg/bee.

Worms EC₅₀ (14 d) >156 mg/kg soil.

Do not allow to enter drains or water courses.

Section 13. Disposal Considerations

Disposal Method:

Triple or preferably pressure rinse containers before disposal. Add rinsing to spray tank. DO NOT dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and bury empty containers in a local authority landfill. If no landfill available, bury the containers below 500mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt. Dispose of washings, contaminated materials, used absorbents and other waste materials as directed by local regulations.

Precautions or methods to avoid: Avoid release to the environment.

Section 14 Transport Information

This product is classified as a Dangerous Good for transport in NZ ; NZS 5433:2020 and SNZ HB 5433:2021



Road, Rail, Sea and Air Transport

UN No	3082
Class - Primary	9
Packing Group	III
Proper Shipping Name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S (Desmedipham 160 g/L + Phenmedipham 160 g/L)
Marine Pollutant	Yes
Special Provisions	If the product's individual container is below 5kg/L, it can be transported as a non-DG as long as the product packaging is still labelled as per DG requirements and the driver is given safety information in accordance with Chapter 3.4 of the UNRTDG.

Section 15 Regulatory Information

This substance is classified hazardous according to the EPA Hazardous Substances (Classification) Notice 2020

EPA Approval Code: HSR101148

HSW (HS) Regulations 2017 and EPA Notices	Trigger Quantity
Certified Handler	Not required
Location Certificate	Not required
Tracking Trigger Quantities	Not required
Signage Trigger Quantities	100L

Emergency Response Plan	100L
Secondary Containment	100L
Restriction of Use:	Use as for intended use.
ACVM Registration No.	P10404

Section 16 Other Information

Glossary

Cat	Category
EC ₅₀	Median effective concentration.
EEL	Environmental Exposure Limit.
EPA	Environmental Protection Authority
HSNO	Hazardous Substances and New Organisms.
HSW	Health and Safety at Work.
LC ₅₀	Lethal concentration that will kill 50% of the test organisms inhaling or ingesting it.
LD ₅₀	Lethal dose to kill 50% of test animals/organisms.
LEL	Lower explosive level.
OSHA	American Occupational Safety and Health Administration.
TEL	Tolerable Exposure Limit.
TLV	Threshold Limit Value-an exposure limit set by responsible authority.
UEL	Upper Explosive Level
WES	Workplace Exposure Limit

References:

1. EPA Hazardous Substances (Safety Data Sheets) Notice 2017
2. Workplace Exposure Standards and Biological Exposure Indices April 2022 edition.
3. Assigning a hazardous substance to a HSNO Approval (Aug 2013).
4. Transport of Dangerous goods on land NZS 5433:2020
5. HSW (Hazardous Substances) Regulations 2017

Disclaimer

This document has been prepared by TCC (NZ) Ltd and serves as the suppliers Safety Data Sheet ('SDS'). It is based on information concerning the product which has been provided to TCC (NZ) Ltd or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer. While TCC (NZ) have taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, TCC (NZ) Ltd accept no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS

The information herein is given in good faith, but no warranty, express or implied is made.

Please contact the New Zealand distributor, if further information is required.

Issue Date: 18 November 2025 Review Date: 18 November 2030